

SOUTHEAST CONNECTOR

Regional Transportation Commission of Washoe County

Community Working Group

Phase 2 Permit Decisions, Final Design Features & Construction Update



December 10, 2015



Permit Decisions

401 Water Quality Certification

- NDEP concurrence - includes 5 conditions:
 - Installation/maintenance of construction stormwater best management practices (BMPs)
 - Pre- & post-project conditions documentation/reporting, prior approval of submittal changes
 - Approved diversion plan for Steamboat Creek



Permit Decisions

404 Clean Water Act Permit

- 6 General Conditions; 17 Special Conditions:
 - Implement Memorandum of Agreement; comply with Endangered Species Act and approved plans
 - Finalize sampling plan; collect soil and water samples
 - Mitigate for impact of 11.45 acres of open water/wetlands
 - Establish and implement financial assurance



Permit Decisions

404 Clean Water Act Permit Conditions cont.

- Monitor mitigation for 10 years or until success criteria are met and reporting
- Restore temporary impacts to open water/wetlands and prepare/submit restoration and annual report(s)
- Install/maintain construction BMPs
- Conduct work when project is dewatered



Other Project Permits

- NPDES Permit #NV0024219 (draft)
- Groundwater Discharge Permit #TNS-41410
- Groundwater Discharge Permit #TNS-41317
- Groundwater Discharge Permit #TNS-40882
- Groundwater Discharge Permit #NS-2015510 (draft)
- Stormwater General Permit #CSW-40729
- Working in Waterways Permit #41409
- Washoe County Air Quality Permit #DCP-15-0036



Final Design Features





QUESTIONS?

